SAFETY DATA SHEETS

This SDS packet was issued with item:

075890793

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070447458 070447466 070447474 070447482 070447490 070447508 070451393 070451401 070451419 075890710 075890728 075890736 075890744 075890777 075890785 075890801 075890819 075890843 075890850 075890868 075890876

Trade Name: ACTIVA BioACTIVE PRODUCTS

1.0	Commercial Product Name and Su	pplier				
1.1	Commercial product name	_	ACTIVA BioACTIVE-BASE / LINER ACTIVA BioACTIVE-RESTORATIVE			
1.2	Application / Use	Dental ma	terial for use by dental professiona	ıl only.		
1.2.2	SIC	851 Huma	n health activity	•		
1.2.3	Use Category	55				
1.3	Manufacturer, Importer					
1.3.1	Manufacturer					
	Pulpdent Corporation 80 Oakland Street P.O. Box 780 Watertown, MA 02472 USA	Fax:	e: 1 617 926-6666 1 617 926-6262 pdent@pulpdent.com			
1.4	Emergency Telephone Number	1-800-535	-5053 (24 Hour / USA)			
1.5	Authorized European Representative					
	International Business Solutions Ltd. 54 Mayfield Ridge Hatch Warren, Basingstoke, RG22 4F	Fmail: s w	9 407479 / Fax: 01256 350330 illiams5@btconnect.co.uk			
2.0	Hazards Identification					
2.1	Classification					
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Class Eye irritation STOT SE Skin irritation Skin sensitization	Hazard Category 2 3 2 1	Hazard Statemen H319 H335 H315 H317		
2.1.2	Classification according to Directive 67/548/EEC Irritant; Xi; R 36/37/38 - 43 (See SECTION 16 for full text of risk phrases)					
2.2	GHS Label Elements					
	Hazard Pictograms					
	<u>(1)</u>					
	Signal Word: WARNING					
	Restricted to use by dental professional only.					
	Hazard Statements					
	H319: Eye irritation. 2. May cause eye irritation. H335: STOT SE. 3. May cause respiratory irritation. H315: Skin irritation. 2. May cause skin irritation. H317: Sensitization. 1. May cause an allergic skin reaction.					
	Precautionary Statements P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P205: P251: If in eyes, rises cautiously with water for several minutes.					

P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention.

Salety Data Sileet

Trade Name: ACTIVA BioACTIVE PRODUCTS

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

Revision Date: November 1, 2013

3.0	Composition						
3.1	Chemical characterization of the pre			on: Res	sin-modified glass	ionomer dental ma	terial
3.2	Hazardous ingredients						
	CAS Number	Name of the Ingred	lient	Concentration BASE/LINER	Concentration RESTORATIVE	Classification per 67/548/EEC	Classification per Regulation (EC) No.1278/2008 (CLP).
	Proprietary	Blend of diurethane a other methacrylates modified polyacrylic a	with	53.2%	44.6%	Irritant; Xi R 3637//38 - 43	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315 Skin sensitization, 1, H317
	112945-52-5	Silica, amorphous		3.0%	6.7%	Irritant; Xi, R 36/37/38	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315
	7681-49-4	Sodium fluoride		0.90%	0.75%	Harmful (Xn); R22-36/38	Acute toxicity, 4, H302 Skin irritation, 2, H315 Eye irritation, 2, H319
4.0	First Aid Measures						
4.1	General Information		May be irritating to eyes, respiratory system and skin. Avoid contact with eyes and skin. Do not inhale vapors. May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.				
4.2	Inhalation		Move to fresh air. Administer oxygen/CPR as needed. Seek medical attention.				
4.3	Skin Contact		Take off contaminated clothing. Wash skin thoroughly with soap and water.				
4.4	Eye Contact		Keep eyelids apart; flush with running water for 15+ minutes. Get medical attention.				
4.5	Ingestion		Rinse mouth with water. Do not induce vomiting. Get immediate medical attention. May be irritating to mucous membranes. Never give anything by mouth to an unconscious person.				
4.6	Precautions for first responders		Ventilate the area. Wear eye and skin protection.				
4.7	Information fo	r physicians					
	Symptoms		Irritation or redness in eyes, throat or on skin.				
	Hazards		May be irritating to eyes, respiratory system, skin. May be sensitizing by skin contact.				
.	Treatment		As ab	ove under First	Aid.		
5.0	Fire Fighting Measures						
5.1	Suitable extinguishing media		Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be used to keep fire exposed containers cool.				
5.2	Extinguishing media to avoid		Do not use direct water stream				
5.3	Special exposure hazards in a fire		Heat may cause polymerization with rapid release of energy.				
5.4	Special protective equipment for fire-fighters		A self-contained breathing apparatus should be worn by firefighting personnel. Cool exposed containers with water spray to prevent polymerization under fire conditions.				
6.0	Accidental R	Accidental Release Measures					
6.1	Personal precautions.			Wear safety glasses, gloves and lab coat.			

Trade Name: ACTIVA BioACTIVE PRODUCTS

6.2	Environmental precautions		ge amounts of unculur knowledge, inert.	red material into the	environment. Cured / set-
6.3	Method for clean up				able material (e.g. pape rea of spill with alcohol or
7.0	Handling and Storage				
7.1	Handling	For use only by dental professionals. Practice good hygiene. Avoid direct/strong ligh sources, extremes of temperature (>27°C/80°F, <5°C/40°F), contamination, cros contamination of two-part materials. Recap immediately after use.			
7.2	Storage	Keep container tightly closed. Store in original container at cool room temperature (<25°C). Avoid direct/strong light, sources of ignition, extremes of temperature. Shel life for properly stored, unopened product is two years from date of manufacture.			
7.3	Specific uses	Dental base/liner,	cement or restorative	e	
8.0	Exposure Controls / Personal Pro	tection			
8.1	Exposure limit values	PEL: Not establis	hed. TLV: Not estal	blished.	
8.2	Exposure controls				
8.2.1	Occupational exposure controls		•	normal conditions of	
8.2.1.1	Respiratory protection	None required. Good general ventilation is sufficient to control any airborne vapors.			
8.2.1.2	Hand protection			e usual surgical glov	
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses worn by dental staff.			
8.2.1.4	Skin protection	No special requirements. Good personal hygiene, safety practices and wearing lab coat should protect dental staff from unnecessary exposure to uncured material			
8.2.1.5	Other controls	Emergency eye v	vash fountain should	be available. Wash	hands after use.
8.2.2	Environmental exposure controls	Cure material bef	ore disposing.		
9.0	Physical and Chemical Properties				
9.1	Appearance / Color			Part A	Part B
9.1.1	Physical state / Color	Base / Liner	Two pastes:	Yellowish	Off-white
		Restorative	Two thick pastes	Tooth-colored	Off-white
9.1.2	Odor	Faint, characteris	tic		
9.2	Important health, safety and environi	mental information			
9.2.1	рН	Not determined			
9.2.2	Boiling point	Not determined			
9.2.3	Flash point	Not determined			
9.2.4	Flammability (solid, gas)	Not applicable			
9.2.5	Explosive properties	Not applicable			
	Oxidizing properties	Not determined			
9.2.6	Oxidizing properties				
9.2.6 9.2.7	Vapor pressure	< 1 mm Hg			
		< 1 mm Hg	Part A	Part B	

Trade Name: ACTIVA BioACTIVE PRODUCTS

		Restorative 1.580 g/mL 1.620 g/mL		
9.2.9	Solubility in water	Nil		
9.2.10	Partition coefficient	Not determined		
9.2.11	Viscosity	Not determined		
9.2.12	Vapor density	Not determined		
9.2.13	Evaporation rate	Not determined		
10.0	Stability and reactivity			
10.1	Conditions to avoid	Temperature > 38°C, intense light, cross-contamination.		
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.		
10.3	Hazardous decomposition products	Under fire conditions, amounts greater than that supplied in this product may polymerize with heat build-up, release of oxides of carbon and nitrogen.		
10.4	Further information	Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.		
11.0	Toxicological information			
11.1	Acute toxicity	Finished products in paste form present a minimal health hazard under normal conditions of use and in the quantities necessary for dental procedures. Sodium fluoride: Oral rat LD $_{50}$: 180 mg/kg Silica, amorphous: Oral rat LD $_{50}$: 3160 mg/kg		
11.2	Irritation and corrosiveness	May be irritating to eyes, respiratory tract, mucous membranes or skin or contact or with prolonged exposure.		
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.		
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged and/or frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.		
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known		
11.6	Empirical data	Biocompatibility has been tested and found to be acceptable.		
11.7	Clinical experience	ACTIVA BioACTIVE PRODUCTS are new products that have been evaluated by dentist consultants. There have been no reports of adverse events.		
12.0	Ecological Information			
12.1	Ecotoxicity	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.		
13.0	Disposal Considerations			
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.		
14.0	Transport Information			
14.1	Restrictions	None. Not regulated.		

Trade Name: ACTIVA BioACTIVE PRODUCTS

15.0	Regulatory Information				
15.1	EU	Class IIA medical devices under MDD 93/42/EEC.			
15.2	US FDA	Class II medical devices.			
15.3	Health Canada	Class III medical devices			
16.0	Other information				
16.1	List of relevant R phrases	R36/37/38: Irritating to eyes, respiratory system and skin. R43: Sensitizing by skin contact.			
16.2	Hazard Statements	H319: Eye irritation. Hazard category 2.			
		H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation.			
		H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.			
16.3	Precautionary Statements	P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305 + P351: If in eyes, rinse cautiously with water for several minutes. P337 + P313: If eye irritation persists, get medical advice/attention. P302 + P352: If on skin, wash with plenty of soap and water. P333 + P313: If irritation or rash occurs, get medical advice / attention. P410 + P411: Protect from sunlight. Store at temperature not exceeding 27°C 80°F.			
16.4	Restrictions on use	ACTIVA BioACTIVE PRODUCTS are to be sold to and used by dental professionals only.			
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.			
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)			
	-	US Occupational Safety and Health Administration (OSHA)			
		Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).			
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency			
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.			