SAFETY DATA SHEETS

This SDS packet was issued with item: 076649313

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076649305



Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Date Issued: 08 March 2012 Document Number: 0021520MS Date Revised: 19 September 2012 Revision Number: 2

1. PRODUCT IDENTIFICATION

Trade Name (as labeled):	ReSURGETM Instrument Cleaning Solution
Chemical Name/Classification:	Mixture
Product Identifier (Part/Item Number):	21520, 21521
U.N. Number:	None
U.N. Dangerous Goods Classification:	None
Recommended Use:	Instrument Cleaning Solution
Restrictions on Use:	For professional use only
Manufacturer/Supplier Name:	Sultan Healthcare
Manufacturer/Supplier Address:	411 Hackensack Avenue, 9th Floor
	Hackensack, NJ
Manufacturer/Supplier Telephone Number:	1-201-871-1232 or 800-637-8582 (Product Information)
Emergency Contact Telephone Number:	800-535-5053 (INFOTRAC)
	1-352-323-3500 (Outside the United States –Call Collect)
Email address:	customer.service@sultanhc.com

2. HAZARD(s) IDENTIFICATION

EU Classification (1999/45/EC as amended): Xi, R37/38, R41.

EU Labeling:

Contains Protease (Subtilisins), Ethanolamine

ReSURGETM Instrument Cleaning Solution

Page 1 of 9

Obtained by Global Safety Management, Inc. -Tel: 1-813-435-5161 - www.globalsafetynet.com

Irritant	 R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes. S1/2 Keep locked up and out of reach of children. S22 Do not breathe dust S24 Avoid contact with skin. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
----------	---

US Hazard Classification: Hazardous

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Components	C.A.S. # EC#	IUPAC Name	Substance Classification 67/548/EEC (EC) No 1272/2008	WT %
Ethanolamine	141-43-5 /	2-aminoethanol	C, R34	1 - 5
	205-483-3		Skin Corr. 1B: H314	
			Eye Dam. 1; H318	
			STOT SE 3: H335	
			Acute Tox 4 Dermal: H312	
			Acute Tox 4 Oral: H302	
			Acute Tox 4 Inhalation: H332	
Ethoxylated Alcohol	68439-46-3 /	Not Established	Xn, R22, R41	1-5
Surfactant	None		Eye Dam. 1: H318	
			Acute Tox 4 Oral: H302	
Glycerine	56-81-5 / 200-289-5	propane-1,2,3-triol	Not classified as hazardous	1-5
Protease (Subtilisins)	9014-01-1 /	Subtilisin A Substrate	Xn, Xi R37/38, R41, R42	0.1-<1
	232-752-2		STOT SE 3; H335	
			Skin Irrit. 2; H315	
			Eye Dam. 1; H318	
			Resp. Sens. 1; H334	

Refer to Section 16 for the full text of the EU Classifications and R Phrases.

4. FIRST-AID MEASURES

Routes of Exposure	First Aid Instructions
Eye	Immediately flush eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get immediate medical attention.
Skin	Wash skin thoroughly with soap and water. Get medical attention if irritation develops.
Inhalation	Remove patient to fresh air. Get immediate medical attention.
Ingestion	Do not induce vomiting. Rinse mouth with water and give one glass of water to drink. Never give anything by mouth to an unconscious or convulsing person. Get medical attention.

Most important symptoms of exposure	May cause eye damage. Contact may cause skin, and respiratory irritation.			
Other	None known.			
	Note to Physicians (Treatment, Testing, and Monitoring): Treatment of overexposure should be directed at the control of symptoms and clinical conditions.			

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Medi	a: Use media appropriate f	Use media appropriate for surrounding fire.			
Fire Fighting Procedures:	Cool fire exposed conta	Cool fire exposed containers and structures with water.			
Specific Hazards Arising fro the Chemical:	m None known.	None known.			
Precautions for Fire Fighters		Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals.			
	Recommended Protective Equipment for Fire Fighters:				
EYES/FACE	SKIN	SKIN RESPRIATORY THERMAL			
R					

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, PPE and	Emergency Procedures: W	ear appropriate protective clothing	g; gloves and eye protection.
Environmental Precautions: Pr federal authorities.	event spill from entering sew	ers and water courses. Report rele	eases as required by local and
Methods and Materials for Cor appropriate containers for dispose		ollect using an inert absorbent mat	erial and place in
Recommend	led Personal Protective Equ	ipment for Containment and Cl	lean-up:
EYES/FACE	SKIN	RESPRIATORY	THERMAL

ReSURGETM Instrument Cleaning Solution

7. HANDLING AND STORAGE

Precautions for Safe Handing: Avoid contact with the eyes, skin and clothing. Avoid breathing vapors or mists. Wear appropriate protective clothing and equipment. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use.

Conditions for Safe Storage: Store in a cool, dry, well ventilated area away from incompatible materials, heat, and light. Store below 32°C (90°F). Protect from physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: Ethanolamine	United States	2 mm TWA US OSHA DEL
Ethanolamine	United States	3 ppm TWA US OSHA PEL
	Common	3 ppm TWA ACGIH TLV, 6 ppm STEL
	Germany	2 ppm TWA DFG MAK, 4 ppm STEL
	United Kingdom	1 ppm TWA UK OEL, 3 ppm STEL
	France	1 ppm TWA INRS VLCT, 3 ppm STEL
	Spain	400 ppm TWA VLA-ED, 500 ppm VAL-EC
	Italy	None Established
	European Union	1 ppm TWA EU OEL, 3 ppm STEL
Ethoxylated Alcohol Surfactant	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	France	None Established
	Spain	None Established
	Italy	None Established
	European Union	None Established
Glycerin	United States	5 mg/m3 TWA US OSHA PEL (respirable fraction)
		10 mg/m3 TWA ACGIH TLV
	Germany	50 mg/m3 DFG MAK (inhalable)
	United Kingdom	10 mg/m3 TWA UK WEL
	France	10 mg/m3 INRS VME
	Spain	10 mg/m3 TWA VLA-ED
	Italy	None Established
	European Union	None Established
Protease (Subtilisins)	United States	0.00006 mg/m3 TWA ACGIH TLV Ceiling
	Germany	None Established
	United Kingdom	0.00004 mg/m3 TWA UK OEL
	France	None Established
	Spain	0.00006 mg/m3 VLA-EC
	Italy	None Established
	European Union	None Established

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Individual Protection Measures (PPE)

Specific Eye/face Protection: Wear chemical safety goggles.

Specific Skin Protection: Wear impervious gloves such as rubber. Recommended glove: Rubber gloves. Consult

e 11	ness and breakthrough times. Protection: None required unde ards: Not applicable	r normal use conditions.	
	Recommended Personal	Protective Equipment	
EYES/FACE	SKIN	RESPRIATORY	THERMAL
Environmental Exposure Con			
General Hygiene Consideration adequate ventilation. Wash thor work area.		•	-
Protective Measures During R equipment as described in Section	-		r protective clothing and

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Slightly hazy, yellow to amber colored liquid	Explosive limits:	Not applicable
Odor:	Floral	Vapor pressure:	Not available
Odor threshold:	Not available	Vapor density:	Not available
рН:	7.0 - 9.0	Relative density:	1.0563
Melting/freezing point:	Not available	Solubility:	Complete
Initial boiling point and range:	Not available	Partition coefficient: n- octanol/water:	Not available
Flash point:	Not applicable	Auto-ignition temperature:	Not available
Evaporation rate:	Not available	Decomposition temperature:	Not available
Flammability:	Not flammable	Viscosity:	Not available
Explosive Properties:	None	Oxidizing Properties:	None

10. STABILITY AND REACTIVITY

Reactivity: Will not polymerize.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Avoid high temperatures, and light.

Incompatible materials: Avoid strong oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may produce carbon oxides.

11. TOXICOLOGICAL INFORMATION

Potential Health Effects:

Eyes: Causes severe eye irritation with possible damage.

Skin: Skin contact may cause irritation. Prolonged or repeated contact may cause an allergic reaction.

Ingestion: Swallowing may cause upset to gastrointestinal tract.

<u>Inhalation</u>: Inhalation of mists may cause upper respiratory tract irritation. Symptoms include shortness of breath, wheezing or labored cough.

<u>Chronic Health Effects:</u> Prolonged exposure to ethanolamine may cause liver and kidney damage based on animal data. The major effects in animals exposed to 12-26 ppm ethanolamine were skin irritation and lethargy. Skin irritation was also observed in animals exposed to 5-6 ppm ethanolamine for 40-60 days.

<u>Carcinogenicity</u>: None of the components are listed as a carcinogen by IARC, NTP, OSHA, ACGIH or the EU Substances Directive.

Mutagenicity: Glycerin: Negative in AMES test, in vitro sister chromatid exchange and unscheduled DNA synthesis.

<u>Medical Conditions Aggravated by Exposure</u>: Employees with pre-existing respiratory disorders may be at increased risk from exposure.

Acute Toxicity Data:

Product: Oral Rat LD50 >2000 mg/kg

Ethanolamine: Oral rat LD50 1,720 mg/kg, Skin rabbit LD50 1,000 mg/kg

Ethoxylated Alcohol Surfactant: Oral rat LD50 >2000 mg/kg, Skin rabbit LD50 1378 mg/kg

Glycerin: Oral Rat LD50 >12,600 mg/kg

Subtilisin: Oral rat LD50 3,700 mg/kg

<u>Reproductive Toxicity Data</u>: Glycerin: No effects were observed in a 2 generation study at doses of 0.2 mg/kg/day. No developmental effects were observed in rabbits administered up to 1,180 mg/kg or in rats or mice administered up to 1,310 mg/kg.

Specific Target Organ Toxicity (STOT):

<u>Single Exposure</u>: Ethanolamine: Symptoms associated with ethanolamines in humans include increased blood pressure, diuresis, salivation, and pupillary dilation. Large doses produce sedation, coma, and death following depression of blood pressure and cardiac collapse. Rats, mice, rabbits, and guinea pigs exposed at high concentrations developed pulmonary, hepatic, and renal lesions.

<u>Repeated Exposure</u>: Ethanolamine: There was a decrease in the albumin-globulin ratio and a decrease in hemoglobin and hematocrit values in dogs exposed to 102 ppm ethanolamine. These findings correlate with the kidney and liver damage caused by ethanolamine and indicate that red blood cell formation may also have been suppressed.

12. ECOLOGICAL INFORMATION

Toxicity:

Ethanolamine: 96 hr LC50 Oncorhynchus mykiss (Rainbow trout) 150mg/L Glycerin: 96 hr LC50 Oncorhynchus mykiss (Rainbow trout) 54,000 mg/L, 48 hr EC50 daphnia magna 10,000 mg/L

Persistence and Degradability: Ethanolamine: Reached 49.2% (nitrogen dioxide end product) and 93.6% (ammonia end product) of its theoretical BOD in 2 weeks using an activated sludge inoculum Subtilisin: Readily biodegradable. Glycerin: Readily biodegradable (63% after 14 days).

Bio-accumulative Potential: Ethanolamine: BCF 3

Mobility in Soil: Ethanolamine: Is expected to have very high mobility in soil. However, this compound will primarily exist as a cation in the environment and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts.

Glycerin: Very high mobility in soil.

Other Adverse Effects: None know.

Results of PBT/vPvB Assessment: Not applicable

13. DISPOSAL CONSIDERATIONS

Regulations: Dispose in accordance with local and national environmental regulations.

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: If permitted by environmental regulations, this product can be discharged into the sanitary sewer.

14. TRANSPORT INFORMATION

UN-Number	ADR/RID: None	IMDG: None	IATA: None	DOT: None	
UN proper shipping name	ADR/RID: Not Regulated IMDG: Not Regulated IATA: Not Regulated DOT: Not Regulated				
Transport hazard class(es)	ADR/RID: None IMDG: None IATA: None DOT: None				
Packaging group	ADR/RID: None	IMDG: None	IATA: None	DOT: None	

ReSURGETM Instrument Cleaning Solution

Environmental herauda	ADR/RID: No	IMDG Marine	IATA: No	DOT: No
Environmental hazards		pollutant: No		

Special precautions for user: Not applicable

15. REGULATORY INFORMATION

U.S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): None

Toxic Substances Control Act (TSCA): This product is a medical device and not subject to chemical notification requirements.

OSHA Hazard Classification: Irritant, Target organ effect, Sensitizer

Clean Water Act (CWA): Not Listed

Clean Air Act (CAA): Not Listed

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:

Immediate Hazard:	Yes	Pressure Hazard:	No
Delayed Hazard:	Yes	Reactivity Hazard:	No
Fire Hazard:	No		

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

State Regulations

California: This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Components	C.A.S. #	WT %
None		

International Regulations

Canadian Workplace Hazardous Materials Information System (WHMIS): Class D - Division 2 - Subdivision B - (Toxic material causing other chronic effects.)

EU REACH: The substances in this product comply with the EU REACH regulation as applicable.

ReSURGETM Instrument Cleaning Solution

Obtained by Global Safety Management, Inc. -Tel: 1-813-435-5161 - www.globalsafetynet.com

16. OTHER INFORMATION

Full text of Classification abbreviations used in Section 2 and 3: C Corrosive Xi Irritant Xn Harmful R22 Harmful if swallowed R34 Causes burns R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes. R42 May cause sensitization by inhalation. Acute Tox 4 (Dermal) Acute Toxicity Category 4 (Dermal) Acute Tox 4 (Inhalation) Acute Toxicity Category 4 (Inhalation) Acute Tox 4 (Oral) Acute Toxicity Category 4 (Oral) Skin Corr. 1 Skin Corrosive Category 1 Skin Irrit. 2 Skin Irritation Category 2 Eye Dam 1 Eye Damage Category 1 Resp. Sens. 1 Respiratory Sensitization Category 1 STOT SE 3 Specific Target Organ Toxicity (Single Exposure) Category 3 H302 Harmful if swallowed H312 Harmful in contact with skin H314 Causes severe skin burns and eye damage H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. Date of SDS Preparation/Revision: 19 September 2012

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.

ReSURGETM Instrument Cleaning Solution