

Kulzer, LLC 4315 S. Lafayette Blvd. South Bend, IN 46614 USA

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 08/22/2018

1 Identification · Product identifier • Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2% · Article number: 316-0451, 316-0424 · Index number: SDS 321-001.08 · Application of the substance / the mixture Professional Dental Teeth Whitening Gel · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Kulzer, LLC (Mitsui Chemicals Group) 4315 S. Lafayette Blvd South Bend, IN 46614 Customer Support : (800) 431-1785 · Information department: Customer Service • Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL): +(703) 527-3887 2 Hazard(s) identification · Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage. GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements · GHS label elements Cosmetics are exempt from the labeling requirements of the Globally Harmonized System (GHS). · Hazard pictograms GHS05, GHS07 · Signal word Danger · Health Hazard-determining components of labeling: Potassium Hydroxide Oils, Peppermint (Contd. on page 2)

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

	(Contd. of page 1)				
Hazard statements					
Causes severe ski	n burns and eye damage.				
May cause an alle	ergic skin reaction.				
· Precautionary sta	itements				
P260	Do not breathe dusts or mists.				
P264	Wash thoroughly after handling.				
P272	Contaminated work clothing must not be allowed out of the workplace.				
P280	Wear protective gloves/protective clothing/eye protection/face protection.				
P301+P330+P33	1 If swallowed: Rinse mouth. Do NOT induce vomiting.				
P303+P361+P35	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/				
	shower.				
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present				
	and easy to do. Continue rinsing.				
P310	Immediately call a poison center/doctor.				
P321	Specific treatment (see on this label).				
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.				
P363	Wash contaminated clothing before reuse.				
P405	Store locked up.				
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.				

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

56-81-5	Glycerin	>25- <i>≤</i> 50%
	<i>Eye Irrit. 2B, H320</i>	
7722-84-1	Hydrogen Peroxide	10-15%
	� Ox. Liq. 1, H271; � Skin Corr. 1A, H314; � Acute Tox. 4, H302; Acute Tox. 4, H332	
	Acrylic Polymer	>2.5- <i>≤</i> 10%
7757-79-1	Potassium Nitrate	<i>≤</i> 3%
	♦ <i>Ox. Sol. 2, H272;</i> ♦ <i>Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335-H336</i>	
1310-58-3	Potassium Hydroxide	<i>≤</i> 2.5%
	♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302	
7758-11-4	Dipotassium Phosphate	<i>≤</i> 2.5%
	🛞 Acute Tox. 3, H331	
8006-90-4	Oils, Peppermint	<1%
	♦ Asp. Tox. 1, H304; ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; Flam. Liq. 4, H227	

4 First-aid measures

• Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

(Contd. on page 3)

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

(Contd. of page 2)

Supply fresh air and to be sure call for a doctor.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: If swallowed in large quantities seek medical attention.

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents:
- CO_{2} extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment:
- Wear fully protective suit.
- Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

(Contd. of page 3)

Further information about storage conditions:
See product labelling.
Keep receptacle tightly sealed.
Specific end use(s) Professional Dental Teeth Whitening Gel

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

PEL Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

TWA Short-term value: 15 mg/m³

7722-84-1 Hydrogen Peroxide

PEL Long-term value: 1.4 mg/m³, 1 ppm

- REL Long-term value: 1.4 mg/m³, 1 ppm
- TLV Long-term value: 1.4 mg/m³, 1 ppm

Acrylic Polymer

TWA Short-term value: 0.05 mg/m³

1310-58-3 Potassium Hydroxide

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

US

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

(Contd. of page 4)

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

Appearance: Form:	Gel
Color:	Colorless
Odor:	Mint
Odor threshold:	Not determined.
pH-value at 20 °C:	5-7
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined
Relative density	Not determined
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

	(Co	ntd. of page
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined	
· Solvent content:		
Organic solvents:	<40 %	
Water:	<35 %	
VOC content:	<1%	
	3.0 g/l / 0.03 lb/gal	
VOC (EC)	<1 %	
Solids content:	<10.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Excess heat
- · Incompatible materials: Strong caustics, most metals
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

ATE (Ac	ute Toxicity Estima	te)	
Oral	LD50	>2,619-2,624 mg/kg	
Inhalativ	ve LC50/4 h	>0.359 mg/l	
56-81-5	Glycerin		
Oral	LD50	7,750 mg/kg (Guinea pig)	
		4,100 mg/kg (mouse)	
		5,570 mg/kg (rat)	
		27,000 mg/kg (rabbit)	
	LC50 Fish	>5,000 mg/l (Fish)	
Dermal	LD50	>21,900 mg/kg (rat)	
		10,000 mg/kg (rabbit)	
Inhalativ	e LC50/4 h	>0.1425 mg/l (rat)	
7722-84-	-1 Hydrogen Peroxi	de	
Oral	LC50 Fish	16.4 mg/l (Fish)	
7757-79-	1 Potassium Nitrate	2	
Oral	LD50	3,015 mg/kg (rat)	
		1,901 mg/kg (rabbit)	

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

		(Contd. of page
	LC50 Fish	1,378 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rat)
	LC50(Daphnia magna)	490 mg/l (daphnia)
1310-58-3	Potassium Hydroxide	
Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)
7758-11-4	Dipotassium Phosphate	
Oral	LD50	4,260-5,700 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
	LC50/4 h	>0.83 mg/l (rat)
8006-90-4	Oils, Peppermint	
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)
Sensitizati Additiona The produ Corrosive	ion: Sensitization possible I toxicological informati act shows the following da	
Sensitizata Additiona The produ Corrosive Irritant Swallowin and stoma	ion: Sensitization possible I toxicological information act shows the following data ag will lead to a strong can ach.	e through skin contact. on:
Sensitizata Additiona The produ Corrosive Irritant Swallowin and stoma Carcinoge	ion: Sensitization possible I toxicological information act shows the following data ag will lead to a strong ca ach. enic categories	e through skin contact. on: ingers according to internally approved calculation methods for preparation sustic effect on mouth and throat and to the danger of perforation of esophage
Sensitizata Additiona The produ Corrosive Irritant Swallowin and stoma Carcinoga IARC (Im	ion: Sensitization possible I toxicological information act shows the following data ag will lead to a strong can ach.	e through skin contact. on: ingers according to internally approved calculation methods for preparation sustic effect on mouth and throat and to the danger of perforation of esophage
Sensitizata Additiona The produ Corrosive Irritant Swallowin and stoma Carcinoga IARC (Imi 7722-84-1	ion: Sensitization possible I toxicological information act shows the following data by will lead to a strong can be che categories ternational Agency for R Hydrogen Peroxide	e through skin contact. on: ingers according to internally approved calculation methods for preparation ustic effect on mouth and throat and to the danger of perforation of esophag esearch on Cancer)
Sensitizata Additiona The produ Corrosive Irritant Swallowin and stoma Carcinoga IARC (Im 7722-84-1 NTP (Nat	ion: Sensitization possible I toxicological information act shows the following data by will lead to a strong can be the categories ternational Agency for R	e through skin contact. on: ingers according to internally approved calculation methods for preparation ustic effect on mouth and throat and to the danger of perforation of esophag esearch on Cancer)
Sensitizata Additiona The produ Corrosive Irritant Swallowin and stoma Carcinoge IARC (Im 7722-84-1 NTP (Nat None of th	ion: Sensitization possible I toxicological information act shows the following data by will lead to a strong can be check cenic categories ternational Agency for R Hydrogen Peroxide ional Toxicology Progra be ingredients is listed.	e through skin contact. on: ingers according to internally approved calculation methods for preparation iustic effect on mouth and throat and to the danger of perforation of esophag esearch on Cancer) m)
Sensitizata Additiona The produ Corrosive Irritant Swallowin and stoma Carcinoga IARC (Im 7722-84-1 NTP (Nat None of th OSHA-Ca	ion: Sensitization possible I toxicological information act shows the following data ag will lead to a strong can be the strong can be the strong can be strong categories ternational Agency for R Hydrogen Peroxide ional Toxicology Program	e through skin contact. on: ingers according to internally approved calculation methods for preparation iustic effect on mouth and throat and to the danger of perforation of esophag esearch on Cancer) m)

12 Ecological information

· Toxicity

• Aquatic toxicity:

56-81-5 Glycerin

EC50 >10,000 mg/l (Bacteria)

>10,000 mg/l (daphnia)

(Contd. on page 8)

US

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae)

2.4 mg/l (daphnia)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• *Other adverse effects No further relevant information available.*

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not Regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not Regulated
· Packing group · DOT, IMDG, IATA	Not Regulated
Environmental hazards:	Not Applicable.
Special precautions for user	Not applicable.
· Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not Applicable.

(Contd. on page 9)

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

(Contd. of page 8)

1	1		• /	•	. •
INRO	σπω	10VV	Int	<i>format</i>	101
IJ MU	Snim	UTY	ulu	<i>or muu</i>	ion

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

7722-84-1 Hydrogen Peroxide

• Section 313 (Specific toxic chemical listings):

7757-79-1 Potassium Nitrate

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)

7722-84-1 Hydrogen Peroxide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment:

This product meets the toxicologic requirements of cosmetics per the US Food, Drug, and Cosmetic Act.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety

• Contact: Customer Service

- · Date of preparation / last revision 12/09/2020 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

AЗ

Printing date 12/09/2020

Reviewed on 08/22/2018

Trade name: Venus White Ultra Plus 15%, Venus White Ultra 11.2%

		(Contd. of page 9)
I	D50: Lethal dose, 50 percent	
I	PBT: Persistent, Bioaccumulative and Toxic	
v	PVB: very Persistent and very Bioaccumulative	
Ν	NIOSH: National Institute for Occupational Safety	
(DSHA: Occupational Safety & Health	
1	TLV: Threshold Limit Value	
ŀ	PEL: Permissible Exposure Limit	
ŀ	REL: Recommended Exposure Limit	
ŀ	Flam. Liq. 4: Flammable liquids – Category 4	
(Dx. Liq. 1: Oxidizing liquids – Category 1	
(Dx. Sol. 2: Oxidizing solids – Category 2	
A	1cute Tox. 4: Acute toxicity – Category 4	
A	<i>Acute Tox. 3: Acute toxicity – Category 3</i>	
S	Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
	Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
	Skin Irrit. 2: Skin corrosion/irritation – Category 2	
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
	Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
	Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B	
S	Skin Sens. 1: Skin sensitisation – Category 1	
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
A	1sp. Tox. 1: Aspiration hazard – Category 1	