## **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

076469944

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076469902 076469910 076469928 076469936 076469951 076469969 076470009 076470017 076470025 076470033 076470082 076470090 076470108 076470116 076470157 076470165 076470173 076470181 076470223 076470231 076470249 076470256 076470298 076470306 076470314 076470322

## MATERIAL SAFETY DATA SHEET

### **Pentron Clinical**

## SECTION 1 PRODUCT AND COMPANY INFORMATION

Product name: FIBREKLEER® 4X

**Uses/Application:** Dental Product

**Manufacturer:** Pentron Clinical

1717 West Collins Avenue

Orange, CA 92867

**USA** 

Telephone.: 1-800-KERR-123

**In Case of Emergency:** CHEMTREC, U.S.: 1-800-424-9300 International: +1-703-527-3887

**Date Prepared:** January 2011

**Date Revised:** N/A

## SECTION 2 COMOSITION INFORMATION

NAME	CAS N.	PEL	TLV	%
Glass, oxide, chemicals	65997-17-3	NE	$5 \text{ mg/m}^3$	30-60
Ytterbium trifluoride	13760-80-0	$2.5 \text{ mg/m}^3$	$2.5 \text{ mg/m}^3$	10-30

NE – Not Established.

Other:

Monomer and Stabilizer

## SECTION 3 Hazard Identification

**OHSA/HCS status:** While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the

product. This MSDS should be retained and

Hazard Statements: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH

EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE

ARE FOLLOWED.

**Precautions:** No known significant effects or critical hazards. Avoid prolong contact with

eyes, skin and clothing.

**Routes of Entry:** Dermal Contact. Eye Contact.

## SECTION 4 PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Solid – Cured fiber reinforced post (Rod)

Flash point: Not available

Color:
Odor:
Odor:
Odorless
pH:
Not available
Boiling/condensation point:
Not available
Melting/freezing point:
Not available
Evaporation Rate:
Not available

Relative density: 2

Vapor pressure:

Vapor density:

Viscosity:

Not available

Not available.

Not Soluble

#### SECTION 5 FIRE AND EXPLOSION HAZARD DATA

**Flammability of the product:** No specific fire or explosion hazard.

**Extinguishing Media:** 

**Suitable:** Use an extinguishing agent suitable for the surrounding fire.

**Special exposure hazards:** Promptly isolate the scene by removing all persons from the vicinity

of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

**Hazardous thermal** 

**decomposition products:** Decomposition products may include the following materials:

Carbon dioxide, carbon monoxide, halogenated compounds and

metal oxide/oxides

Special Fire Fighting Procedures: Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

## SECTION 6 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Incompatibility & Reactive** 

(Material to Avoid): Not available

**Hazardous Decomposition:** Under normal conditions of storage and use, hazardous

decomposition will not occurred

**Hazardous Polymerization:** Under normal conditions of storage and use, hazardous

polymerization will not occur.

### SECTION 7 HEALTH HAZARD DATA

**Potential Acute Health Affects:** 

Inhalation:No known significant effects or critical hazards.Ingestion:No known significant effects or critical hazards.Skin:No known significant effects or critical hazards.Eyes:No known significant effects or critical hazards.

**Potential chronic health effects:** 

**Chronic effects:** No known significant effects or critical hazards. **Target organs:** No known significant effects or critical hazards.

Carcinogenicity

Classification:
No known significant effects or critical hazards.
Mutagenicity:
No known significant effects or critical hazards.
Teratogenicity:
No known significant effects or critical hazards.

**Developmental** 

**effects:** No known significant effects or critical hazards. **Fertility effects:** No known significant effects or critical hazards.

## SECTION 8 EMERGENCY FIRST AID PROCEDURES

**Skin:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes

thoroughly before reuse. Get medical attention if symptoms persist.

**Eyes:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at

least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention

immediately.

**Inhalation:** Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory

arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical

attention immediately.

**Ingestion:** Wash out mouth with water. Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Get medical attention if

symptoms persist.

Note to

**physician:** In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

## SECTION 9 CONTROL MEASURES

**Engineering measures:** No special ventilation requirements. Good general ventilation should be

sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker

exposure below any recommended or statutory limits.

Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices.

These practices include avoiding unnecessary exposure.

## Material Safety Data Sheet for: FIBREKLEER® 4X

**Personal Protection:** 

PENTRON CLINICAL

**Hands:** If a risk assessment indicates gloves are necessary, Chemical-resistant,

impervious gloves complying with an approved standard should be worn at

all times when handling chemical products.

**Eye Protection:** If risk assessment indicates safety eyewear is needed, safety eyewear

complying with an approved standard should be used to avoid exposure to

liquid splashes, mists or dusts.

**Respiratory:** If a risk assessment indicates that respirators are needed, use a properly

fitted, air-purifying or air-fed respirator complying with an approved standard this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

**Skin:** Based on the risks assessment, personal protective equipment for the body

should be selected based on the task being performed and recommendations.

**Environmental exposure** 

**controls:** Emissions from ventilation or work process equipment should be checked to

ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering

modifications to the process equipment will be necessary to reduce emissions

to acceptable levels.

# SECTION 10 PRECAUTIONS FOR HANDLING & STORAGE

## Precautions to be taken

in Handling:

Wash hands before eating, drinking, and chewing gum. Keep in the original

container.

Precautions to be taken

**for storage:** Store in accordance with local regulations. Store in original container

protected from direct sunlight in a dry, cool and well-ventilated area and away from food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers that have been open must be carefully

resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental

contamination.

**Other Precautions:** Keep out of reach of children. Avoid skin and eye contact.

Avoid contamination of food.

### SECTION 11 ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** No action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Do not touch or walk through spilled

material. Put on appropriate personal protective equipment

Page 4 of 6

#### PENTRON CLINICAL

**Environmental** 

**precautions:** Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Product is toxic to aquatic organisms. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

Methods for cleaning up:

Small spills: Move containers from spill area. Vacuum or sweep up material and place in a

designated, labelled waste container. Dispose of via a licensed waste disposal

contractor.

**Large spills:** Move containers from spill area. Prevent entry into sewers, water courses,

basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal

contractor.

#### SECTION 12 DISPOSAL CONSIDERATION

**Waste Disposal:** The generation of waste should be avoided or minimized wherever possible.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste

disposal legislation and any regional local authority requirements.

## SECTION 13 TRANSPORTATION INFORMATION

TDG/IMDG/IATA: Not regulated.

## SECTION 14 REGULATORY INFORMATION

#### **CALIFORNIA PROPOSITION 65:**

**WARNING:** This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

**WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

## SECTION 15 OTHER INFORMAITON

HMIS (Hazardous Material Identification System) Rating:

Health 2 Flammability 0 Physical Hazard 0

**Caution:** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards

or risks, and 4 representing significant hazards or risks Although HMIS® ratings are

Page **5** of **6** 

not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). The customer is responsible for determining the PPE code for this material.

### **National Fire Protection Association:**

Health 2 Flammability 0 Instability 0

Note: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.